

A 9.9~15 Horsepower (13 Tooth Spline & Thru Hub Exhaust)

9.9, 15 HP (2-Stroke) 74 ~
9.9, 15 HP (4-Stroke) 00 ~ 01

SATURN Stainless steel 3 blade PROP Rubber Hub

B	D	P	R	PART NO.
3	9 1/4	7	R	2121-093-07
3	9 1/4	8	R	2121-093-08
3	9 1/4	9	R	2121-093-09
3	9 1/4	10	R	2121-093-10
3	9 1/4	11	R	2121-093-11

Prop hardware for pressed in hub propeller.

	Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
A	OATW	OASP	Original BRP Part	OANT	Apin(1 1/8")

KITS part #: 17021501

* Required hardware to install propeller that SOLAS makes in hub A series propeller.

Johnson 9.9, 15 HP (4-Stroke) ... 02 ~ 03 (10 Tooth Spline)

SATURN Stainless steel 3 blade PROP Rubber Hub

B	D	P	R	PART NO.
3	9 1/4	7	R	4121-093-07
3	9 1/4	8	R	4121-093-08
3	9 1/4	9	R	4121-093-09
3	9 1/4	10	R	4121-093-10
3	9 1/4	11	R	4121-093-11

Prop hardware for pressed in hub propeller.

	Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
A	Original BRP Part	Original BRP Part	Original BRP Part	SANT	Apin(1 1/8")

* Required hardware to install propeller that SOLAS makes in hub A series propeller.



2121-093-10

SATURN
General Purpose Propeller

- * Three-blade stainless steel propeller
- * All-around general purpose performance
- * A more durable replacement for aluminum propeller with better efficiency

B 20~35 Horsepower (14 Tooth Spline & Thru Hub Exhaust)

20 HP 2 Cyl..... 84 ~ 97
25 HP (Commercial) 93 ~

25 HP 2 & 3 Cyl 84 ~
30 HP 2 Cyl 84 ~

35HP 2 & 3 Cyl 76 ~

NEW SATURN Stainless steel 3 blade PROP Rubber Hub

B	D	P	R	PART NO.
3	10 3/4	10	R	2231-108-10
3	10 1/2	11	R	2231-105-11
3	10 1/4	12	R	2231-103-12
3	10 1/8	13	R	2231-101-13
3	10	14	R	2231-100-14
3	10	15	R	2231-100-15

Prop hardware for pressed in hub propeller.

	Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
B	OBTW	OBSP	Original BRP Part	OBNT	Apin(1 1/8")

KITS part #: 17022501

* Required hardware to install propeller that SOLAS makes in hub B series propeller.

Johnson 25, 30 HP (4-Stroke)(10 Tooth Spline) NEW SATURN Stainless steel 3 blade PROP Rubber Hub

B	D	P	R	PART NO.
3	10 3/4	10	R	4231-108-10
3	10 1/2	11	R	4231-105-11
3	10 1/4	12	R	4231-103-12
3	10 1/8	13	R	4231-101-13
3	10	14	R	4231-100-14
3	10	15	R	4231-100-15

Prop hardware for pressed in hub propeller.

	Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
B	Original BRP Part	Original BRP Part	Original BRP Part	SBNT	Apin(1 1/8")

* Required hardware to install propeller that SOLAS makes in hub B series propeller.



2231-101-13

NEW SATURN
All-around Performance Propeller

- * Three-blade stainless steel propeller
- * Offers good acceleration & all-around performance
- * Smaller pitch sizes offered in extra large diameter with increased blade area
- * Large ear design is ideal for pontoons, commercial hulls, and heavy loads

Overall Performance

* Check with engine manufacture for complete prop hardware listings. SOLAS does not make all hardware required for all motors made.

8 5~8 Horsepower (Pin Drive)

5, 6HP(4-Stroke) 1997~newer
6, 7.5, 8 HP (2-Stroke) 1980 ~ Newer

B	D	P	R	PART NO.
3	8.0	7	R	2011-080-07P
3	8.5	9	R	2011-085-09P



2011-085-09P



Pin Drive

OMC 6HP 1966-1979 ; OMC 9.5HP 1964-1973
OMC 10HP 1958-1963 ; OMC 10HP,12HP, 14HP
1982-1984 EUROPEAN MARKET ONLY

B	D	P	R	PART NO.
3	8.25	8	R	2011-083-08P



3.5HP (Plastic Propeller)

B	D	P	R	PART NO.
3	7 1/4	6	R	0001-073-06-P



0001-073-06-P

A 9.9~15 Horsepower (13 Tooth Spline & Thru Hub Exhaust)

9.9, 15 HP (2-Stroke) 74 ~

9.9, 15 HP (4-Stroke) 00 ~ 01

AMITA 3 Aluminum 3 blade Rubber Hub

B	D	P	R	PART NO.
3	9.25	7	R	2111-093-07
3	9.25	8	R	2111-093-08
3	9.25	9	R	2111-093-09
3	9.25	10	R	2111-093-10
3	9.25	11	R	2111-093-11

AMITA 4 Aluminum 4 blade Rubber Hub

B	D	P	R	PART NO.
4	9.25	7	R	2113-093-07
4	9.25	8	R	2113-093-08
4	9.25	9	R	2113-093-09
4	9.25	10	R	2113-093-10
4	9.25	11	R	2113-093-11

For heavy boat ; high thrust

AMITA 4 Aluminum 4 blade Rubber Hub

B	D	P	R	PART NO.
4	10	5	R	2113-100-05
4	10	7	R	2113-100-07

Thrust Washer (1/2inch)	Spacer (1/2inch)	Washer (2/8inch)	Nut (1/2inch)	Collar Pin (2/8inch)
OATW	OASP	Original BRP Part	OANT	Apin(1 1/8")

KITS part # : 17021501

Prop hardware for pressed in hub propeller.

* Required hardware to install propeller that SOLAS makes in hub A series propeller.

Johnson 9.9, 15 HP (4-Stroke) ... 02 ~ 03
(10 Tooth Spline)
Please check Suzuki section(Page: P20)

B 20~35 Horsepower (14 Tooth Spline & Thru Hub Exhaust)

20 HP 2 Cyl..... 84 ~ 97

25 HP 2 & 3 Cyl 84 ~

25 HP (Commercial) 93 ~

30 HP 2 Cyl 84 ~

35HP 2 & 3 Cyl 76 ~

AMITA 3 Aluminum 3 blade Rubber Hub

B	D	P	R	PART NO.
3	11	9	R	2211-110-09
3	10.5	11	R	2211-105-11
3	10.3	12	R	2211-103-12
3	10.1	13	R	2211-101-13
3	10	14	R	2211-100-14
3	10	15	R	2211-100-15

AMITA 4 Aluminum 4 blade Rubber Hub

B	D	P	R	PART NO.
4	10.2	11	R	2213-102-11
4	10.1	12	R	2213-101-12
4	10	13	R	2213-100-13
4	10	14	R	2213-100-14
4	10	15	R	2213-100-15

Thrust Washer (1/2inch)	Spacer (1/2inch)	Washer (2/8inch)	Nut (1/2inch)	Collar Pin (1/4inch)
OBTW	OBSP	Original BRP Part	OBNT	Apin(1 1/8")

KITS part # : 17022501

Prop hardware for pressed in hub propeller.

* Required hardware to install propeller that SOLAS makes in hub B series propeller.

Johnson 25, 30 HP (4-Stroke)(10 Tooth Spline)
Please check Suzuki section(Page: P20)

8~25HP (Pin Drive)

OMC 8 - 15HP 2000 & NEWER ; OMC 14HP 1989
OMC 25HP 1978-1991 INC WORKHORSE & COMERCIAL ; OMC 25HP 1978-1984

B	D	P	R	PART NO.
3	9	10	R	2111-090-10P
3	9.25	11	R	2111-093-11P



10~28HP (Spline Drive) ^{13 Tooth Spline}

OMC 28HP 1986-1996 ; OMC 10HP 1951-1957
OMC 15HP 1953-1956 ; OMC 18HP 1957-1973
OMC 20HP 1969-1973 ; OMC 25HP 1969-1977

B	D	P	R	PART NO.
3	9	10	R	2111-090-10S
3	9.25	11	R	2111-093-11S



Pin Drive



Spline Drive

C 40~75 Horsepower (Small Gearcase; 13 Tooth Spline & Thru Hub Exhaust)

40 HP 2Cyl 84 ~	60 HP 2 Cyl 80 ~ 85	Formula E 86 ~ 92
48 HP 87 ~ 96	75 HP 3 Cyl 75 ~ 85	60 HP (Not Bigfoot or Sea Pro) ... 78~
50 HP 2Cyl 75 ~	60 HP 2 Cyl 80 ~ 85	60 HP (2- Stroke) 78~
55 HP 2 Cyl 76 ~ 79	Sprint 86 ~ 92	70 HP ~83

NEW SATURN Stainless steel 3 blade
PROP Rubber Hub

B	D	P	R	PART NO.
3	12 1/2	13	R	2331-125-13
3	12 1/4	15	R	2331-123-15
3	12	17	R	2331-120-17

Prop hardware for pressed in hub propeller.

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
OCTW	OCSP	Original BRP Part	OCNT	Epin(2")

* Required hardware to install propeller that SOLAS makes in hub C series propeller.

Johnson 40, 50 HP (4-Stroke)(13 Tooth Spline)

NEW SATURN Stainless steel 3 blade
PROP Rubber Hub

B	D	P	R	PART NO.
3	12	8	R	4331-120-08
3	12	9	R	4331-120-09
3	11 7/8	10	R	4331-119-10
3	11 5/8	11	R	4331-116-11
3	11 3/8	12	R	4331-114-12
3	11 1/8	13	R	4331-111-13
3	11 1/8	14	R	4331-111-14
3	11	15	R	4331-110-15

Prop hardware for pressed in hub propeller.

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
Original BRP Part	Original BRP Part	Original BRP Part	YENT	Epin(2")

* Required hardware to install propeller that SOLAS makes in hub C series propeller.

D 45~140 Horsepower (Large Gearcase; 13 Tooth Spline & Thru Hub Exhaust)

45 HP 2 Cyl Commercial 86 ~	90 HP 81 ~	70 HP (E- TEC) 04 ~
55 HP 2 Cyl Commercial 80 ~	100 HP 79 ~ 80, 88 ~ 93	75 HP (E- TEC) 04 ~
65 HP 3 Cyl Commercial 84 ~	110 HP 86 ~ 89	90 HP (E- TEC) 04 ~
50 HP 3 Cyl Pleasure 94 ~	112 HP 94 ~ 96	E90 DPL, DSL 06 ~
60 HP 3 Cyl Pleasure 70 ~ 71, 86 ~	115 HP 73 ~	E115DPL, DSL 06 ~
60, 70 HP 4 Stroke 98~	120 HP 86 ~ 94	Model 400 2.3L ~ 3.0L
70 HP 3 Cyl Pleasure 74 ~	140 HP 77 ~ 94	Cobra 2.3L ~ 3.0L
75 HP 3 Cyl Pleasure 75 ~ 84	40 HP (E- TEC) 04 ~	Sea Drive 1.6L ~ 1.8L
85 HP 69 ~ 80, 91 ~ 95	50 HP (E- TEC) 04 ~	115HP (E-TEC)..... 2004~newer
88 HP 81 ~ 96	60 HP (E- TEC) 04 ~	130HP (E-TEC)..... 2004~newer

NEW SATURN Stainless steel 3 blade
PROP Rubber Hub

B	D	P	R	PART NO.
3	14	11	R	2431-140-11
3	13 3/4	13	R	2431-138-13
3	13 1/2	15	R	2431-135-15
3	13 1/4	17	R	2431-133-17
3	13	19	R	2431-130-19
3	13	21	R	2431-130-21

TITAN Stainless steel 3 blade
PROP Rubber Hub

B	D	P	R	PART NO.
3	13 3/4	13	R	2441-138-13
3	13 3/4	15	R	2441-138-15
3	13 1/4	17	R	2441-133-17
3	13 1/4	19	R	2441-133-19

HR TITAN 4 Stainless steel 4 blade
PROP Rubber Hub

B	D	P	R	PART NO.
4	13 1/2	13	R	2453-135-13
4	13 1/4	15	R	2453-133-15
4	13	17	R	2453-130-17
4	13	19	R	2453-130-19
4	13	21	R	2453-130-21

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
ODTW	OCSP	Original BRP Part	OCNT	Epin(2")

Prop hardware for pressed in hub propeller.

* Required hardware to install propeller that SOLAS makes in hub D series propeller.

Johnson DF90, 115, 140 HP (4 Stroke) ; (15 Tooth Spline)
High Thrust ; Offshore Application



HR TITAN 3
High Speed Application

Prop hardware for pressed in hub propeller.

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
Original BRP Part	Original BRP Part	Original BRP Part	OCNT	Epin(2")

* Required hardware to install propeller that SOLAS makes in hub D series propeller.

HR TITAN 3 Stainless steel 3 blade
PROP Rubber Hub

B	D	P	R	PART NO.
3	13 7/8	15	R	3451-139-15
3	13 7/8	15	L	3452-139-15
3	13 7/8	17	R	3451-139-17
3	13 7/8	17	L	3452-139-17
3	13 7/8	19	R	3451-139-19
3	13 7/8	19	L	3452-139-19
3	13 7/8	21	R	3451-139-21
3	13 7/8	21	L	3452-139-21
3	13 7/8	23	R	3451-139-23
3	13 7/8	23	L	3452-139-23
3	13 7/8	25	R	3451-139-25

C 40~75 Horsepower (Small Gearcase ; 13 Tooth Spline & Thru Hub Exhaust)

40 HP 2Cyl 84 ~	60 HP 2 Cyl 80 ~ 85	Formula E 86 ~ 92
48 HP 87 ~ 96	75 HP 3 Cyl 75 ~ 85	60 HP (Not Bigfoot or Sea Pro) ...78~
50 HP 2Cyl 75 ~	60 HP 2 Cyl 80 ~ 85	60 HP (2- Stroke)78~
55 HP 2 Cyl76 ~ 79	Sprint 86 ~92	70 HP ~83

AMITA3 Aluminum 3 blade Rubber Hub

B	D	P	R	PART NO.
3	13	11	R	2311- 130- 11
3	12.5	13	R	2311- 125- 13
3	12.25	15	R	2311- 123- 15
3	12	17	R	2311- 120- 17

Prop hardware for pressed in hub propeller.

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
				
OCTW	OCSP	Original BRP Part	OCNT	Epin(2")

KITS part #: 17023501





* Required hardware to install propeller that SOLAS makes in hub C series propeller.

Johnson 40, 50 HP (4-Stroke)(13 Tooth Spline)

AMITA3-C Plus Rubber Hub

B	D	P	R	PART NO.
3	12	10	R	4311- 120- 10
3	11.8	11	R	4311- 118- 11
3	11.6	12	R	4311- 116- 12
3	11.6	13	R	4311- 116- 13
3	11.6	14	R	4311- 116- 14

Prop hardware for pressed in hub propeller.

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
				
Original BRP Part	Original BRP Part	Original BRP Part	YENT	Epin(2")

* Required hardware to install propeller that SOLAS makes in hub C series propeller.

D 45~140 Horsepower (Large Gearcase ; 13 Tooth Spline & Thru Hub Exhaust)

45 HP 2 Cyl Commercial86 ~	90 HP 81 ~	70 HP (E- TEC) 04 ~
55 HP 2 Cyl Commercial 80 ~	100 HP 79 ~ 80, 88 ~ 93	75 HP (E- TEC) 04 ~
65 HP 3 Cyl Commercial 84 ~	110 HP 86 ~ 89	90 HP (E- TEC) 04 ~
50 HP 3 Cyl Pleasure 94 ~	112 HP 94 ~ 96	E90 DPL, DSL 06 ~
60 HP 3 Cyl Pleasure 70 ~ 71, 86 ~	115 HP 73 ~	E115DPL, DSL 06 ~
60, 70 HP 4 Stroke98~	120 HP 86 ~ 94	Model 400 2.3L ~ 3.0L
70 HP 3 Cyl Pleasure 74 ~	140 HP 77 ~ 94	Cobra 2.3L ~ 3.0L
75 HP 3 Cyl Pleasure 75 ~ 84	40 HP (E- TEC) 04 ~	Sea Drive 1.6L ~ 1.8L
85 HP69 ~ 80, 91 ~ 95	50 HP (E- TEC) 04 ~	115HP (E-TEC)..... 2004~newer
88 HP 81 ~ 96	60 HP (E- TEC) 04 ~	130HP (E-TEC)..... 2004~newer

AMITA3 Aluminum 3 blade Rubber Hub

B	D	P	R	PART NO.
3	14	9	R	2411- 140- 09
3	14	11	R	2411- 140- 11
3	13.75	13	R	2411- 138- 13
3	13.5	15	R	2411- 135- 15
3	13.25	17	R	2411- 133- 17
3	13	19	R	2411- 130- 19
3	13	21	R	2411- 130- 21

AMITA3 Aluminum 3 blade Rubber Hub

B	D	P	R	PART NO.
3	13.2	19	R	2411- 132- 19
3	13.2	21	R	2411- 132- 21

AMITA4 Aluminum 4 blade Rubber Hub

B	D	P	R	PART NO.
4	13.25	13	R	2413- 133- 13
4	13	15	R	2413- 130- 15
4	12.75	17	R	2413- 128- 17
4	12.5	19	R	2413- 125- 19
4	12.5	21	R	2413- 125- 21

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
				
ODTW	OCSP	Original BRP Part	OCNT	Epin(2")

KITS part #: 17024501

Prop hardware for pressed in hub propeller.

* Required hardware to install propeller that SOLAS makes in hub D series propeller.




Johnson DF90, 115, 140 HP (4 Stroke) ; (15 Tooth Spline)

High Thrust ; Offshore Application

AMITA4 Aluminum 4 blade Rubber Hub

B	D	P	R	PART NO.
4	13.75	15	R	3413- 138- 15
4	13.75	17	R	3413- 138- 17
4	13.75	19	R	3413- 138- 19
4	13.75	21	R	3413- 138- 21

Prop hardware for pressed in hub propeller.

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
				
Original BRP Part	Original BRP Part	Original BRP Part	OCNT	Epin(2")

* Required hardware to install propeller that SOLAS makes in hub D series propeller.

E 90~ 300 Horsepower (15 Tooth Spline & Thru Hub Exhaust)

90 HP V4 95 ~	155 HP V6 (commercial) ... 78 ~	275 HP V8 86 ~ 88
100 HP V4 Commercial ... 84 ~	175 HP V6 77 ~	300 HP V8 86 ~ 95
115 HP V4 95 ~	185 HP V6 84 ~ 85	3.6 Liter V8 86 ~ 87
130 HP V4 95 ~	200 HP V6 76 ~	200 HP (E-TEC) 05 ~
120-140 HP V4 85	225 HP V6 86 ~	225 HP (E-TEC) 05 ~
135 HP V6 01 ~	235 HP V6 78 ~ 85	250 HP (E-TEC) 05 ~
140 HP 89 ~ 94	250 HP V6 01 ~	E90 DPX (E-TEC)..... 06 ~
150 HP V6 78 ~	2.6 Liter V-6 84 ~ 85	E115 DSX,DPX,DCX (E-TEC)..... 06 ~
150 HP V6 (Commercial) ... 93 ~	250 HP V8 91 ~	

Model 800, King Cobra, Cobra (Non SX Drive)3.0L ~ 8.2L Sea Drive 2.0L ~ 4.0L For SX Drive please check Volvo Penta Section

NEW SATURN Stainless steel 3 blade
PROP Rubber Hub

B	D	P	R	PART NO.
3	14 1/2	15	R	2531-145-15
3	14 1/2	15	L	2532-145-15
3	14 1/4	17	R	2531-143-17
3	14 1/4	17	L	2532-143-17
3	14	19	R	2531-140-19
3	14	19	L	2532-140-19
3	14	21	R	2531-140-21
3	14	21	L	2532-140-21
3	14	23	R	2531-140-23
3	14	23	L	2532-140-23
3	14	25	R	2531-140-25

NEW SATURN-E Plus
Suggested for 135 ~ 150 HP Motors for Heavy Boat

B	D	P	R	PART NO.
3	15 5/8	11	R	2531-156-11
3	15 5/8	13	R	2531-156-13
3	15 5/8	13	L	2532-156-13

HR TITAN 3 Stainless steel 3 blade
PROP Rubber Hub

B	D	P	R	PART NO.
3	15	14	R	2551-150-14
3	15	14	L	2552-150-14
3	14 3/4	16	R	2551-148-16
3	14 3/4	16	L	2552-148-16
3	14 3/4	17	R	2551-148-17
3	14 3/4	17	L	2552-148-17
3	14 3/4	18	R	2551-148-18
3	14 3/4	18	L	2552-148-18
3	14 3/4	19	R	2551-148-19
3	14 3/4	19	L	2552-148-19
3	14 3/4	20	R	2551-148-20
3	14 3/4	20	L	2552-148-20
3	14 1/2	21	R	2551-145-21
3	14 1/2	21	L	2552-145-21
3	14 1/4	22	R	2551-143-22
3	14 1/4	22	L	2552-143-22
3	14	24	R	2551-140-24
3	14	24	L	2552-140-24

HR TITAN 4 Stainless steel 4 blade
PROP Rubber Hub

B	D	P	R	PART NO.
4	14 1/2	15	R	2553-145-15
4	14 1/2	15	L	2554-145-15
4	14 1/4	17	R	2553-143-17
4	14 1/4	17	L	2554-143-17
4	14 1/8	18	R	2553-141-18
4	14 1/8	18	L	2554-141-18
4	14 1/8	19	R	2553-141-19
4	14 1/8	19	L	2554-141-19
4	14	20	R	2553-140-20
4	14	20	L	2554-140-20
4	14	21	R	2553-140-21
4	14	21	L	2554-140-21
4	14	22	R	2553-140-22
4	14	22	L	2554-140-22
4	14	23	R	2553-140-23
4	14	23	L	2554-140-23
4	14	25	R	2553-140-25
4	14	25	L	2554-140-25
4	14	27	R	2553-140-27

LEXOR Stainless steel 3 blade
PROP Rubber Hub

B	D	P	R	PART NO.
3	15 3/4	15	R	2571-158-15
3	15 3/4	15	L	2572-158-15
3	15 5/8	16	R	2571-156-16
3	15 5/8	16	L	2572-156-16
3	15 1/2	17	R	2571-155-17
3	15 1/2	17	L	2572-155-17
3	15 3/8	18	R	2571-154-18
3	15 3/8	18	L	2572-154-18
3	15 1/4	19	R	2571-153-19
3	15 1/4	19	L	2572-153-19
3	15 1/8	20	R	2571-151-20
3	15 1/8	20	L	2572-151-20
3	15	21	R	2571-150-21
3	15	21	L	2572-150-21
3	14 7/8	22	R	2571-149-22
3	14 7/8	22	L	2572-149-22
3	14 3/4	23	R	2571-148-23
3	14 3/4	23	L	2572-148-23
3	14 1/2	25	R	2571-145-25
3	14 1/2	25	L	2572-145-25
3	14 1/2	27	R	2571-145-27
3	14 1/2	27	L	2572-145-27

Scorpion Stainless steel 3 blade
PROP Rubber Hub

Check the RUBEX chart
S3 Prop for SCORPION.
www.rubexprops.com

Prop hardware for pressed in hub propeller.

Thrust Washer (1/2inch)	Spacer (3/16inch)	Washer (3/16inch)	Nut (1/2inch)	Cotter Pin (1/16inch)
OETW	OESP	Original BRP Part	OENT	Epint(2")

KITS part #: 17025501

* Required hardware to install propeller that SOLAS makes in hub E series propeller.



LEXOR
All-around Performance

- * Three blade stainless steel propeller
- * Large diameter and blade area for big boat loads
- * Great high speed performance without sacrificing mid-range speeds
- * Excellent fuel economy for offshore boats

* Check with engine manufacture for complete prop hardware listings. SOLAS does not make all hardware required for all motors made.

E 90~ 300 Horsepower (15 Tooth Spline & Thru Hub Exhaust)

90 HP V4 95 ~	155 HP V6 (commercial) ... 78 ~	275 HP V8 86 ~ 88
100 HP V4 Commercial ... 84 ~	175 HP V6 77 ~	300 HP V8 86 ~ 95
115 HP V4 95 ~	185 HP V6 84 ~ 85	3.6 Liter V8 86 ~ 87
130 HP V4 95 ~	200 HP V6 76 ~	200 HP (E-TEC) 05 ~
120-140 HP V4 85	225 HP V6 86 ~	225 HP (E-TEC) 05 ~
135 HP V6 01 ~	235 HP V6 78 ~ 85	250 HP (E-TEC) 05 ~
140 HP 89 ~ 94	250 HP V6 01 ~	E90 DPX (E-TEC)..... 06 ~
150 HP V6 78 ~	2.6 Liter V-6 84 ~ 85	E115 DSX,DPX,DCX (E-TEC)..... 06 ~
150 HP V6 (Commercial) ... 93 ~	250 HP V8 91 ~	

Model 800, King Cobra, Cobra (Non SX Drive)3.0L ~ 8.2L Sea Drive 2.0L ~ 4.0L For SX Drive please check Volvo Penta Section

AMITA 3 Aluminum 3 blade Rubber Hub

B	D	P	R	PART NO.
3	15.5	13	R	2511-155-13
3	15	15	R	2511-150-15
3	15	15	L	2512-150-15
3	14.8	17	R	2511-148-17
3	14.8	17	L	2512-148-17
3	14.5	19	R	2511-145-19
3	14.5	19	L	2512-145-19
3	14.3	21	R	2511-143-21
3	14.3	21	L	2512-143-21
3	14.2	23	R	2511-142-23
3	14.2	23	L	2512-142-23

AMITA 3-E Plus Aluminum 3 blade Rubber Hub

B	D	P	R	PART NO.
3	16	13	R	2511-160-13
3	15.8	15	R	2511-158-15
3	15.8	15	L	2512-158-15
3	15.5	17	R	2511-155-17
3	15.5	17	L	2512-155-17
3	15.3	19	R	2511-153-19
3	15.3	19	L	2512-153-19
3	15.3	21	R	2511-153-21
3	15.3	21	L	2512-153-21
3	15.3	23	R	2511-153-23

AMITA 4 Aluminum 4 blade Rubber Hub

B	D	P	R	PART NO.
4	14.75	15	R	2513-148-15
4	14.75	15	L	2514-148-15
4	14.5	17	R	2513-145-17
4	14.5	17	L	2514-145-17
4	14.25	19	R	2513-143-19
4	14.25	19	L	2514-143-19
4	14	21	R	2513-140-21
4	14	21	L	2514-140-21
4	14	23	R	2513-140-23

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
OETW	OESP	Original BRP Part	OENT	Epin(2")
KITS part # : 17025501				

Prop hardware for pressed in hub propeller.

* Required hardware to install propeller that SOLAS makes in hub E series propeller.



AMITA 3

- * Three blade aluminum propeller
- * Exclusive Solas squeeze casting process
- * Outstanding acceleration and top speed

Johnson 200, 225 HP (4-Stroke)(15 Tooth Spline)

AMITA 3-E Plus Aluminum 3 blade Rubber Hub

B	D	P	R	PART NO.
3	16	13	R	4511-160-13
3	15.8	15	R	4511-158-15
3	15.8	15	L	4512-158-15
3	15.5	17	R	4511-155-17
3	15.5	17	L	4512-155-17
3	15.3	19	R	4511-153-19
3	15.3	19	L	4512-153-19
3	15.3	21	R	4511-153-21
3	15.3	21	L	4512-153-21
3	15.3	23	R	4511-153-23

Prop hardware for pressed in hub propeller.

Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Cotter Pin (4pack)
Original BRP Part	Original BRP Part	Original BRP Part	YENT	Epin(2")

* Required hardware to install propeller that SOLAS makes in hub E series propeller.



AMITA 4

- * Four blade aluminum propeller
- * Exclusive Solas squeeze casting process
- * Wide blade design specifically for 4-stroke engines
- * Increased static thrust for heavy loads & maneuverability
- * Great stern lift and mid-range performance

* Check with engine manufacture for complete prop hardware listings. SOLAS does not make all hardware required for all motors made.